



**The Clorox Company**  
 1221 Broadway  
 Oakland, CA 94612  
 Tel. (510) 271-7000

# Material Safety Data Sheet

**I Product:** ARMOR ALL OXI MAGIC CARPET & UPHOLSTERY CLEANER

**Description:** WHITE CLEAR LIQUID

Other Designations	Distributor	Emergency Telephone Nos.
	Clorox Sales Company 1221 Broadway Oakland, CA 94612	For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300

II Health Hazard Data	III Hazardous Ingredients											
<p><u>Eye Irritant:</u> Eye contact may result in irritation. This product contains hydrogen peroxide, which may cause skin irritation or skin whitening after prolonged contact with the concentrated product.</p> <p><u>FIRST AID:</u></p> <p><u>EYE CONTACT:</u> Flush eyes with water for at least 15 minutes. Call a physician.</p> <p><u>INGESTION:</u> Drink a glassful of water to dilute. Call a physician.</p> <p><u>SKIN CONTACT:</u> Rinse thoroughly with water. If irritation persists, call a physician.</p> <p><u>INHALATION:</u> Move to fresh air. If breathing is affected or if irritation persists, call a physician.</p> <p><u>KEEP OUT OF THE REACH OF CHILDREN.</u></p>	<table border="1"> <thead> <tr> <th data-bbox="812 525 1104 556">Ingredient</th> <th data-bbox="1104 525 1299 556">Concentration</th> <th data-bbox="1299 525 1575 556">Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td data-bbox="812 556 1104 619">Hydrogen peroxide CAS #7722-84-1</td> <td data-bbox="1104 556 1299 619">1-5%</td> <td data-bbox="1299 556 1575 619">1 ppm TLV-TWA, PEL</td> </tr> <tr> <td data-bbox="812 619 1104 682">Isopropanol CAS# 67-63-0</td> <td data-bbox="1104 619 1299 682">1-5%</td> <td data-bbox="1299 619 1575 682">400ppm TLV-TWA 500ppm STEL</td> </tr> </tbody> </table>	Ingredient	Concentration	Worker Exposure Limit	Hydrogen peroxide CAS #7722-84-1	1-5%	1 ppm TLV-TWA, PEL	Isopropanol CAS# 67-63-0	1-5%	400ppm TLV-TWA 500ppm STEL	<p>None of the ingredients in this product is on the IARC, OSHA or NTP carcinogen lists.</p> <p>TLV-TWA = Threshold Limit Value - Time Weighted Average (ACGIH)          PEL = Permissible Exposure Level (OSHA)          STEL = Short term Exposure Limit (ACGIH)</p>	
Ingredient	Concentration	Worker Exposure Limit										
Hydrogen peroxide CAS #7722-84-1	1-5%	1 ppm TLV-TWA, PEL										
Isopropanol CAS# 67-63-0	1-5%	400ppm TLV-TWA 500ppm STEL										

IV Special Protection and Precautions	V Transportation and Regulatory Data
<p>The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for accidental, large-scale, or prolonged exposure:</p> <p><u>Hygienic Practices:</u> Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods.</p> <p><u>Engineering Controls:</u> Use local exhaust to minimize exposure to product mist.</p> <p><u>Personal Protective Equipment:</u> Wear safety glasses. Wear rubber or neoprene gloves if there is the potential for repeated or prolonged skin contact.</p>	<p><u>U.S. DOT/IMDG/IATA:</u> Not Restricted</p> <p><u>EPA-CERCLA/SARA Title III:</u>          This product is regulated under Sections 311/312. This product contains no chemicals which are regulated under Section 313, and contains sodium dodecylbenzene-sulfonate (CAS # 25155-30-0) which is regulated under 304/CERCLA.</p> <p><u>TSCA</u> - All chemicals in this product are listed on the TSCA Inventory</p>

VI Spill Procedures/Waste Disposal	VII Reactivity Data
<p><u>Spill Procedures:</u> Absorb and containerize. Wash down residual to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.</p> <p><u>Waste Disposal:</u> Dispose of in accordance with all applicable federal, state, and local regulations.</p>	<p>Do not heat.          Do not mix with bleach containing products, alkalis, reducing agents, or organic liquids.</p>

VIII Fire and Explosion Data	IX Physical Data
<p>Flashpoint (Closed Cup) = ..... &gt;199 °F</p> <p>Fire Extinguishing Agents: Dry chemical, carbon dioxide (CO<sub>2</sub>), foam or water spray.</p>	<p>pH ..... ~5.5          Solubility in water ..... Complete          Specific Gravity ..... ~ 1.00</p>