

SAFETY DATA SHEET

Issuing Date January 5, 2015 Revision Date June 12, 2018 **Revision Number** 2 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING Product identifier **Product Name** Kingsford® Charcoal Briquets with Hickory Other means of identification Synonyms None Recommended use of the chemical and restrictions on use **Recommended use** Fuel for cooking food outdoors Uses advised against No information available Details of the supplier of the safety data sheet **Supplier Address** The Clorox Company 1221 Broadway Oakland, CA 94612 Phone: 1-510-271-7000 Emergency telephone number **Emergency Phone Numbers** For Medical Emergencies, call: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity	Category 1A
Toxic to reproduction	Category 1B

GHS Label elements, including precautionary statements

Emergency Overview

Signal word		Danger				
Hazard Staten	nents					
Mav cause car	ncer (inhalation).					
	ertility or the unborn child					
Appearance brown wood p	Square black briquet wi	ith	Physical State	Solid	Odor	None

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear eye protection such as safety glasses. Do not breathe dust.

Precautionary Statements - Response

If exposed or concerned: Get medical advice.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

Hazards not otherwise classified (HNOC)

CARBON MONOXIDE HAZARD. Burning charcoal inside without adequate ventilation can kill you. It gives off carbon monoxide, which has no odor. NEVER burn charcoal inside homes, vehicles, or tents.

Unknown Toxicity

65 - 85% of the mixture consists of ingredients of unknown toxicity.

Other information

Never barbeque indoors. Never use gasoline to light charcoal. Do not add lighter fluid directly to burning or hot charcoal. Barbecue away from flammable items, overhangs, and trees. Make sure ashes are cold before discarding.

Interactions with Other Chemicals

Reacts with strong oxidizers to catch on fire.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sawdust	RR-00514-1	< 10	*
Borax	12179-04-3	0.1 - 0.9	*
* The exact perce	entage (concentration) of composition has	been withheld as a trade	secret.
	4. FIRST AID MEASUR	ES	
First aid measures			
General Advice	Show this safety data sheet to the docto	or in attendance.	
Eye Contact	Hold eye open and rinse slowly and ger lenses, if present, after the first 5 minute center or doctor for treatment advice.	ntly with water for 15 - 20 es, then continue rinsing e	minutes. Remove contact eye. Call a poison control
Skin Contact	Wash skin with soap and water. If irrita	ation persists, call a docto	r.
Inhalation	Move to fresh air. If breathing problem	s develop, call a doctor.	
Ingestion	Drink a glassful of water. Call a doctor	or poison control center.	
Protection of First-aiders	Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).		
Most important symptoms and effe	ects, both acute and delayed		
Most Important Symptoms and Effects	Dust may cause eye irritation. Inhalation	on of dust may irritate nos	e and throat.
Indication of any immediate medica	al attention and special treatment need	ed	
Notes to Physician	Treat symptomatically.		
	5. FIRE-FIGHTING MEASU	JRES	
Suitable Extinguishing Media Use extinguishing measures that are	appropriate to local circumstances and the	e surrounding environmer	nt.
<u>Unsuitable Extinguishing Media</u> None known.			
Specific Hazards Arising from the ONONE known.	<u>Chemical</u>		
Explosion Data			
Sensitivity to Mechanical Impact	None.		
Sensitivity to Static Discharge	None.		
Protective equipment and precaution As in any fire, wear self-contained bree gear.	ons for firefighters pathing apparatus pressure-demand, MSH	A/NIOSH (approved or eq	uivalent) and full protective

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equas required.	uipment	
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental Precautions	See Section 12 for ecological Information.		
Methods and material for containm	nt and cleaning up		
Methods for Containment	Prevent further spillage if safe to do so.		
Methods for Cleaning Up	Remove heat and ignition sources. Vacuum sweep, if possible, to avoid generating a dust. Wash residual to on-site treatment area, where appropriate. If treatment area available, wash down to sanitary sewer. Contact the sanitary treatment facility in adv assure ability to process washed-down material.	a is not	

7. HANDLING AND STORAGE

Precautions for safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Conditions for safe storage, including any incompatibilities Storage Storage Store locked up in a dry area away from open flames, heat sources, and other ignition sources. Incompatible Products Strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sawdust RR-00514-1	TWA - 1 mg/m ³ (inhalable fraction)	None	TWA - 1 mg/m ³
Borax 12179-04-3	STEL - 6 mg/m ³ (inhalable fraction) ^b STEL - 2 mg/m ³ (inhalable fraction) ^b ^b Listed under borate compounds, inorganic	None	TWA - 1 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/Face Protection	Wear safety glasses.
Skin and Body Protection	Wear rubber or neoprene gloves.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Appearance Color	Solid Square briquet Black with brown wood pieces	Odor Odor Threshold	None No information available
Property	Values	Remarks/ Method	
pH	Not applicable	None known	
Melting/freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	Not applicable No data available	None known	
Evaporation rate		None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air		Niewe Luceum	
Upper flammability limit	No data available	None known	
Lower flammability limit	No data available	None known	
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Bulk density	~0.7 g/cm ³	None known	
Water Solubility	Insoluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate		None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive Properties	Not explosive		
Oxidizing Properties	No data available		
Other Information Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available No data available		

10. STABILITY AND REACTIVITY

Reactivity

Reacts with strong oxidizers to catch on fire.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Flames, heat sources, and ignition sources.

Incompatible materials

Strong oxidizers.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Inhalation may irritate respiratory tract.
Eye Contact	Dust may cause temporary eye irritation.
Skin Contact	Minor or no effects expected.
Ingestion	Minor or no effects expected.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Borax	2.4 g/kg (Rat)	>2 g/kg (Rabbit)	
12179-04-3	2.4 g/kg (1(at)	>2 g/kg (Rabbit)	_

Information on toxicological effects

Symptoms	May cause redness and tearing of the eyes.	Inhalation of dust may irritate respiratory tract.
Delayed and immediate effects as v	vell as chronic effects from short and long-	term exposure
Sensitization	No information available.	
Mutagenic Effects	No information available.	

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sawdust RR-00514-1		Group 1	Known	Х
ACGIH: (American Conferen	ce of Governmental Ind	lustrial Hygienists)		
IARC: (International Agency for Group 1 - Carcinogenic to Huma NTP: (National Toxicology Pro Known - Known Carcinogen OSHA: (Occupational Safety & X - Present	ans o gram)			
Reproductive Toxicity	Contains a kno	wn or suspected reproc	luctive toxin (sodium tetral	porate decahydrate).
STOT - single exposure	No information available.			
STOT - repeated exposure Chronic Toxicity Target Organ Effects	Contains a kno toxin. Possible International Ag (Group 1). Stu Woodworkers i risk. Due to th unlikely, and, th	information available. ntains a known or suspected carcinogen. Contains a known or suspected reproductiv in. Possible risk of irreversible effects. Wood dust has been classified by the ernational Agency for Research on Cancer (IARC) as a known human carcinogen roup 1). Studies have linked wood dust to nasal cancer in furniture industry workers. bodworkers in the building industry (e.g. carpenters) do not appear to have this increase k. Due to the product form and typical use conditions, significant dust exposures are ikely, and, therefore, the potential for any chronic effects is low. spiratory system, reproductive system, eyes.		
Aspiration Hazard	Not an aspiration	on hazard.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Reclaim, if possible; otherwise dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Dispose of in accordance with all applicable federal, state, and local regulations.

	14. TRANSPORT INFORMATION
DOT	Not restricted per 49 CFR 172.101(c)(12)(iv).
TDG	Not restricted per TDG regulations Part 146(c)(iii).
ICAO	Carbon, not activated. Not restricted. Passes self-heating carbon test.
IATA	Carbon, not activated. Not restricted. Passes self-heating carbon test.
IMDG/IMO	Carbon, not activated. Not restricted. Passes self-heating carbon test.

15. REGULATORY INFORMATION

Chemical Inventories

TSCA	All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt
	from listing.
DSL/NDSL	All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	
Chronic Health Hazard	

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

California Proposition 65 Warning: Combustion (burning) of this product, like other cooking methods, produces carbon monoxide and other substances known by the State of California to cause cancer, birth defects, or reproductive harm.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Borax 12179-04-3			Х		
Sawdust RR-00514-1	Х				

International Regulations

Canada WHMIS Hazard Class D2A - Very toxic material



16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard	0	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard	0*	Flammability 1	Physical Hazard 0	Personal Protection A
Prepared E	3у		.*Indicates a chronic health Product Stewardship 23 British American Blvd Latham, NY 12110 1-800-572-6501		
Revision D	ate		June 12, 2018		
Revision N	lote		Updated Section 3.		
Reference			1174260/194926.001		

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet