



SAFETY DATA SHEET

Issuing Date June 2, 2015

Revision Date 26-Apr-21

Revision Number 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Clorox Commercial Solutions® Odor Defense™ Wall Mount Refill

Other means of identification

Synonyms None

Document Number US001170

Recommended use of the chemical and restrictions on use

Recommended Use Air Freshener

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

Clorox Professional Products Company
1221 Broadway
Oakland, CA 94612

Phone: 1-510-271-7000

Emergency telephone number

Emergency Phone Numbers For Medical Emergencies call: 1-800-446-1014
For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2A
Skin corrosion/irritation	Category 2
Flammable liquids	Category 2
Gases under pressure	Compressed gas

GHS Label elements, including precautionary statements

Emergency Overview

Signal word	Danger
Hazard Statements	
Causes serious eye irritation	
Causes skin irritation	
Highly flammable liquid and vapor	
Contains gas under pressure; may explode if heated	
	
Appearance Clear	Physical State Thin liquid
	Odor Slightly floral

Precautionary Statements - Prevention

Wear eye protection such as safety glasses.
 Wear protective gloves.
 Wash exposed skin thoroughly after handling.
 Use personal protective equipment as required
 Keep away from heat, sparks, and open flames. No smoking
 Keep container tightly closed.
 Use explosion-proof electrical equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.

Precautionary Statements - Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical attention.

If on skin: Wash with plenty of water.
 If skin irritation occurs: Get medical attention.
 Take off contaminated clothing and wash it before reuse.
 Specific treatment (see First Aid Measures on this SDS).

In case of fire: Use dry chemical, carbon dioxide, foam, or water spray to extinguish.

Precautionary Statements - Storage

Store in a cool, well-ventilated place.

Precautionary Statements - Disposal

Dispose of in accordance with all applicable federal, state, and local regulations.

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

Not applicable

Other information

Not applicable

Interactions with Other Chemicals

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Trade Secret
Propane	74-98-6	5-15	*
Butane	106-97-8	5-15	*
Acetone	67-64-1	60-80	*
N,N-Didecyl-N,N-Dimethylammonium Carbonate (3:2)	894406-76-9	0.1-1	*
Benzyl Salicylate	118-58-1	0.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES**First aid measures****General Advice**

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin Contact

Take off contaminated clothing. Wash with plenty of water. Get medical attention if irritation occurs.

Inhalation

Move to fresh air. If breathing is affected, get medical advice/attention.

Ingestion

Drink a glassful of water. Call a poison control center or doctor immediately. DO NOT induce vomiting unless told to do so by a poison control center or doctor.

Protection of First-aiders

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

Stinging and irritation of eyes and skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes, or clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. See Section 12 for ecological information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink, or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-01	TWA: 500 ppm STEL: 750 ppm	STEL: 1000 ppm 2400 mg/m ³ TWA: 750 ppm 1800 mg/m ³	250 ppm 590 mg/m ³
Propane 74-98-6	1000 ppm	1000 ppm	1000 ppm

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers
 Eyewash stations
 Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur: Wear goggles or safety glasses with side shields.

Skin and Body Protection Wear rubber or neoprene gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures Wash hands after direct contact. Remove and wash contaminated clothing before re-use. Do not eat, drink, or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Thin liquid	Odor	Slightly floral
Appearance	Clear	Odor Threshold	No information available
Color	Clear solution		
<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>	
pH	10	None known	
pH (diluted solution - 1:64)	10	None known	
Melting / freezing point	No data available		
Boiling point / boiling range	No data available	None known	
Flash Point	<23°C (closed cup)		
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available	None known	
Lower flammability limit	No data available	None known	
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	0.791	None known	
Water Solubility	Soluble	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive Properties	Not explosive		
Oxidizing Properties	No data available		
<u>Other Information</u>			
Softening Point	No data available		
VOC Content (%)	No data available		
Particle Size	No data available		
Particle Size Distribution	No data available		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known.

Incompatible materials

None known.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Exposure to vapor or mist may irritate respiratory tract.
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Ingestion	Ingestion may cause irritation to mucous membranes and gastrointestinal tract, nausea, vomiting, and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	-	-	-
Propane 74-98-6	-	-	-

Information on toxicological effects

Symptoms Causes redness and tearing of the eyes. Causes skin redness.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. .

Chemical Name	ACGIH	IARC	NTP	OSHA
Acetone 67-64-1	N/A	N/A	N/A	N/A
Propane 74-98-6	N/A	N/A	N/A	N/A

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity No information available.

Target Organ Effects Isobutane and propane did not elicit target organ toxicity at 9000 ppm and 12000 ppm, respectively.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

Not available

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Acetone 67-64-1	-	LC50: 5,540 mg/L (96 h) Oncorhynchus mykiss LC50: 8,800 mg/L (48 h) Daphnia magna	-	LC50: 8,800 mg/L (48 h) Daphnia magna
Propane 74-98-6	-	-	-	-

Persistence and Degradability

No information available.

Bioaccumulation

No data available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT - UN1950, Aerosols, 2.1, Limited Quantity

IMDG - UN1950, Aerosols, 2.1, Limited Quantity

IATA - UN1950, Aerosols, 2.1, Limited Quantity

15. REGULATORY INFORMATION**International Inventories****TSCA**

All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

This product does not contain any Prop 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Acetone 67-64-1	X	x	x	-	-
Propane 74-98-6	X	x	x	-	-

16. OTHER INFORMATION

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Preparation/Revision Date 26-Apr-2021

Revision Note**Reference** N/A / 243009.001**General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet