

SAFETY DATA SHEET

	1. Identification			
Product identifier	Clorox Bathroom Foamer Refills - Rain Cle	an		
Other means of identification	Document Number: USA002071			
Recommended use	Cleaner			
Recommended restrictions	None known.			
/anufacturer/Importer/Supplier	/Distributor information			
Aanufacturer				
Company name	The Clorox Company			
Address	1221 Broadway			
	Oakland, CA 94612 United States			
Telephone	1-510-271-7000			
E-mail	Not available.			
Emergency phone number	Medical Emergency: 1-800-446-1014			
0 71	Transportation Emergency: 1-800-424-9300	(Chemtrec)		
	2. Hazards Identificatio	n		
Physical hazards	Not classified.			
Health hazards	Acute toxicity, oral	Category 4		
	Acute toxicity, inhalation	Category 4		
	Skin corrosion/irritation	Category 1		
	Serious eye damage/eye irritation	Category 1		
	Specific target organ toxicity, single exposure			
Environmental hazards	Not classified.			
DSHA defined hazards	Not classified.			
_abel elements				
Signal word Hazard statement	Danger Causes severe skin burns and eye damage. H respiratory irritation.	łarmful if swallowed. Harmful if inhaled. May cause		
Precautionary statement				
Prevention	Do not breathe mist. Wash thoroughly after handling. Wear protective gloves, protective clothing and eye protection. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.			
Response	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed.			
Disposal	Dispose of container in accordance with local,	regional, national and international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.			

3. Composition/Information on Ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
1-Dodecanamine, N,N-dimethyl-,N-oxide		1643-20-5	10-30*
Alkyl benzyl dimethyl ammonium chloride		68424-85-1	5-10*
Ethanol		64-17-5	0.5-1.5*
Ethylenediaminetetraacetic acid, potassium salt		5964-35-2	1-5*
Monoethanolamine		141-43-5	5-10*
N,N-dimethyl-1-tetradecanamine, N-oxide		3332-27-2	5-10*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

	4. First Aid Measures	
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Was contaminated clothing before reuse. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label).	
Skin contact		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER of doctor.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Burning pain and severe corrosi skin damage.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.	
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. KEEP OUT OF REACH OF CHILDREN AND PETS.	
	5. Fire Fighting Measures	
Suitable extinguishing media	Treat for surrounding material.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
	6. Accidental Release Measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal	

protection, see section 8 of the SDS.

Methods and materials for	Prevent entry into basements or con	fined areas.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent remove residual contamination.	t material (e.g. cloth, fleece). Clean surface thoroughly to
	Never return spills to original contain	ers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.	
	7. Handling and	Storage
Precautions for safe handling	Avoid contact with eyes and skin. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.	
Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a cool, dry and well-ventilated place. KEEP OUT OF REACH OF CHILDREN AND PETS.	
	8. Exposure Controls/Pe	rsonal Protection
Occupational exposure limits		
	for Air Contaminants (29 CFR 1910.1	1000)
Components	Туре	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3 1000 ppm
Monoethanolamine (CAS 141-43-5)	PEL	6 mg/m3
,		3 ppm
	Male and	

US. ACGIH Threshold Limit Values

Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Components Ethanol (CAS 64-17-5)	Type TWA	Value 1900 mg/m3	
•	71		
•	71	1900 mg/m3	

8 mg/m3

3 ppm Biological limit values No biological exposure limits noted for the ingredient(s). Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, Eve/face protection Wear safety glasses with side shields.

TWA

Eye/face protection	Wear safety glasses with side shields.
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	Wear appropriate chemical resistant clothing. As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product. When using do not eat or drink.

9. Physical and Chemical Properties

Annoaranoo	Clear		
Appearance Physical state	Clear Liquid.		
Physical state Form	Liquid.		
Color	White		
Odor	Rain		
Odor threshold	Not available.		
	11 - 12.5		
pH Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Pour point	Not available.		
Specific gravity	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Flash point	> 199.4 °F (> 93.0 °C) Pensky-Martens Closed Cup		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	0.993		
Solubility(ies)	Complete		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
	10. Stability and Reactivity		
Reactivity	This product may react with strong oxidizing agents.		
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Chemical stability	Material is stable under normal conditions.		
Conditions to avoid	Do not mix with other chemicals. DO NOT MIX WITH BLEACH or use in conjunction with other household products.		
Incompatible materials	Oxidizers. Caustics. Acids.		
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride.		
	11 Toxicological Information		

11. Toxicological Information

Information on likely routes of exposure

Inhalation	Harmful if inhaled. May cause respiratory tract irritation.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause redness and pain.		
Information on toxicological	effects		
Acute toxicity	See below.		
Components 1-Dodecanamine, N,N-dimethy	Species IN-oxide (CAS 1643-20-5)	Test Results	
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg, ECHA	
Inhalation LC50	Not available		
Oral LD50	Rat	1064 mg/kg, ECHA	
Alkyl benzyl dimethyl ammoniu	m chloride (CAS 68424-85-1)	0.07	
Acute			
Dermal			
LD50	Rabbit	3412 mg/kg, ECHA	
Inhalation		v v :	
LC50	Rat	0.3 mg/l/4h, ECHA	
Oral			
LD50	Rat	795 mg/kg, ECHA	
Ethanol (CAS 64-17-5)			
Acute			
Dermal			
LD50	Rabbit	> 15800 mg/kg, SIDS initial assessment report	
Inhalation			
LC50	Mouse	> 60000 ppm, 60 Minutes, ECHA	
Oral			
LD50	Rat	10470 mg/kg, ECHA	
-	d, potassium salt (CAS 5964-35-2)		
Acute			
Dermal			
LD50	Not available		
Inhalation			
LC50	Not available		
Oral			
LD50		1780 - 2000 mg/kg, ECHA	
Monoethanolamine (CAS 141-4	13-5)		
Acute			
Dermal			
LD50	Rabbit	2504 mg/kg, 24 Hours, ECHA	
Inhalation			
LC50	Rat	> 1.3 mg/L, 6 Hours, ECHA	
Oral			
LD50	Rat	1089 mg/kg, ECHA	
N,N-dimethyl-1-tetradecanamin	ne, N-oxide (CAS 3332-27-2)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA	
Inhalation			
LC50	Not available		
Oral	Det		
LD50	Rat	> 1500 mg/kg, ECHA	

Skin corrosion/irritation	Causes sever	e burns.		
Exposure minutes	Not available.	Not available.		
Erythema value	Not available.			
Oedema value	Not available.			
Serious eye damage/eye irritation	Causes serior	us eye damage.		
Corneal opacity value	Not available.			
Iris lesion value	Not available.	Not available.		
Conjunctival reddening value	Not available.	Not available.		
Conjunctival oedema value	Not available.	Not available.		
Recover days		Not available.		
Respiratory or skin sensitizatio	'n			
Respiratory sensitization		Not a respiratory sensitizer.		
Skin sensitization	-	s not expected to cause skin sensitization.		
Germ cell mutagenicity	No data availa	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	See below.	-		
IARC Monographs. Overall	Evaluation of C	arcinogenicity		
Not listed. OSHA Specifically Regulat Not regulated. US. National Toxicology Pr Not listed.				
Reproductive toxicity	This product i	s not expected to cause reproductive or de	velopmental effects.	
Specific target organ toxicity - single exposure	-	spiratory irritation.		
Specific target organ toxicity - repeated exposure	Not classified	Not classified.		
Aspiration hazard	Not an aspira	ion hazard.		
Chronic effects	Not available.	Not available.		
Further information	Not available.	Not available.		
		12. Ecological Information		
Ecotoxicity	See below			
Ecotoxicological data Components Alkyl benzyl dimethyl ammonium	chloride (CAS 68	Species 3424-85-1)	Test Results	
Aquatic	1.050			
Fish	LC50	Striped bass (Morone saxatilis)	10.4 - 19.1 mg/L, 96 hours	
Ethanol (CAS 64-17-5)	5050	5		
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours	
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/L, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/L, 96 hours	
Monoethanolamine (CAS 141-43 Algae	-5) IC50	Algae	15 mg/L, 72 Hours	
Crustacea	EC50	Daphnia	65 mg/L, 48 Hours	
Aquatic				
Fish	LC50	LC50 Rainbow trout,donaldson trout 114 - 196 mg/L, 96 hours (Oncorhynchus mykiss)		
Persistence and degradability	Not available.			
Bioaccumulative potential	Not available.			
Partition coefficient n-octa 1-Dodecanamine, N,N-dimet Ethanol	nol / water (log	Kow) 4.67 -0.31		
#34424		Page: 6 of 9	Issue date 14-January-2022	

Partition coefficient n-octar Monoethanolamine	nol / water (log Kow) -1.31		
Mobility in soil	Not available.		
Mobility in general	Not available.		
Other adverse effects	Not available.		
	13. Disposal Considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
	14. Transport Information		
General	Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.		
U.S. Department of Transportat			
Basic shipping requirement UN number	ts: UN1760		
Proper shipping name	Corrosive liquids, n.o.s.		
Technical name	Alkyl benzyl dimethyl ammonium chloride		
Hazard class	Limited Quantity - US		
Packing group			
Packaging exceptions	154 and (TDO Conside)		
Transportation of Dangerous G			
Basic shipping requirement			
UN number Broner chinning name	UN1760 CORROSIVE LIQUID, N.O.S.		
Proper shipping name Technical name	Alkyl benzyl dimethyl ammonium chloride		
Hazard class	Limited Quantity - Canada		
Packing group			
Special provisions	16		
IATA/ICAO (Air)			
Basic shipping requirement			
UN number	UN1760		
Proper shipping name	Corrosive liquid, n.o.s.		
Technical name Hazard class	Alkyl benzyl dimethyl ammonium chloride Limited Quantity - IATA		
Packing group			
IMDG (Marine Transport)			
Basic shipping requirement	ts:		
UN number	UN1760		
Proper shipping name	CORROSIVE LIQUID, N.O.S.		
Technical name	Alkyl benzyl dimethyl ammonium chloride		
Hazard class	Limited Quantity - IMDG		
Packing group			
DOT; IMDG; TDG			



15. Regulatory Information

US federal regulations	This product is a "Hazardou Standard, 29 CFR 1910.12	us Chemical" as defined by the OSHA Hazard Communication 00.	
	Product is compliant with C	PSC regulatory guidelines.	
	DANGER CORROSIVE.		
TSCA Section 12(b) Export	Notification (40 CFR 707, Su	ubpt. D)	
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)		
Not listed. SARA 304 Emergency relea	ase notification		
Not regulated. OSHA Specifically Regulate Not regulated.	ed Substances (29 CFR 1910	0.1001-1052)	
Superfund Amendments and R	agutharization Act of 1986 (
SARA 302 Extremely hazardous substance	No		
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
-	n 112 Hazardous Air Polluta	nts (HAPs) List	
Not regulated.			
•	n 112(r) Accidental Release	Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
FEMA Priority Substan	ices Respiratory Health and	Safety in the Flavor Manufacturing Workplace	
Ethanol (CAS 64-17	′-5)	Low priority	
Food and Drug Administration (FDA)	Not regulated.		
US state regulations	See below		
US - Illinois Chemical S	Safety Act: Listed substance)	
Ethanol (CAS 64-17	′-5)		
US - Louisiana Spill Re	eporting: Listed substance		
Ethanol (CAS 64-17	,	Listed.	
US - Minnesota Haz Su			
Ethanol (CAS 64-17		ETHANOL (SEE ETHYL ALCOHOL) ETHYL ALCOHOL (ETHANOL)	
Monoethanolamine	· · · ·	2-AMINOETHANOL (SEE ETHANOLAMINE) ETHANOLAMINE	
	ed Substances. CA Departm	eent of Justice (California Health and Safety Code Section 11100)	
Not listed.			

US. Massachusetts RTK - Substance List Ethanol (CAS 64-17-5) Monoethanolamine (CAS 141-43-5) US. New Jersey Worker and Community Right-to-Know Act Ethanol (CAS 64-17-5) Monoethanolamine (CAS 141-43-5) US. Pennsylvania Worker and Community Right-to-Know Law Ethanol (CAS 64-17-5) Monoethanolamine (CAS 141-43-5) **US. Rhode Island RTK** Ethanol (CAS 64-17-5) Monoethanolamine (CAS 141-43-5) **California Proposition 65** This product is not subject to warning labeling under the California Proposition 65 regulation. Country(s) or region Inventory name On inventory (yes/no)* United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s) 16. Other Information

LEGEND	HEALTH / 3
Severe 4	
Serious3Moderate2	PHYSICAL HAZARD 0
Slight 1 Minimal 0	PERSONAL X PROTECTION X
Disclaimer	The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	14-January-2022
Version #	01
Further information	Not available.
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
	Reference Item: 513063-001

Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000

Yes