

## 1. Identification

<b>Product identifier</b>	<b>Scoop Away® Advanced Multi Cat Scented</b>		
<b>Other means of identification</b>	Document Number: USA004063		
<b>Recommended use</b>	Cat litter		
<b>Recommended restrictions</b>	None known.		
<b>Manufacturer/Importer/Supplier/Distributor information</b>			
<b>Manufacturer</b>			
<b>Company name</b>	The Clorox Company		
<b>Address</b>	1221 Broadway Oakland, CA 94612 United States		
<b>Telephone</b>	1-510-271-7000		
<b>E-mail</b>	Not available.		
<b>Emergency phone number</b>	Medical Emergency:	1-800-446-1014	
	Transportation Emergency:	1-800-424-9300 (Chemtrec)	

## 2. Hazards Identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Carcinogenicity	Category 1A
	Reproductive toxicity	Category 1B
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	Not classified.	

**Label elements**



<b>Signal word</b>	Danger
<b>Hazard statement</b>	May cause cancer. May damage fertility or the unborn child.
<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye protection.
<b>Response</b>	IF exposed or concerned: Get medical attention.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of container in accordance with local, regional, national and international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.

## 3. Composition/Information on Ingredients

**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Bentonite		1302-78-9	60-80*
Crystalline silica		14808-60-7	0.1-1*
Limestone		1317-65-3	15-40*
Sodium tetraborate pentahydrate		12179-04-3	0.1-1*

All concentrations are in percent by weight.

**Composition comments**

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

---

**4. First Aid Measures**

---

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin contact</b>	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
<b>Eye contact</b>	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
<b>Ingestion</b>	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	Coughing. Direct contact with eyes may result in mechanical irritation. Toxoplasmosis Warning: We would like to remind our customers, especially pregnant women and immunosuppressed persons, that cat feces can sometimes transmit a disease called toxoplasmosis. Therefore, always remember to wash hands thoroughly after handling used cat litter. For further information, consult your doctor.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. For further information, call 1-800-325-9259
<b>General information</b>	Avoid contact with eyes and skin. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach of children.

---

**5. Fire Fighting Measures**

---

<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Use water spray to cool unopened containers. Cool containers with flooding quantities of water until well after fire is out.
<b>Specific methods</b>	Use water spray to cool unopened containers.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted. Not a fire hazard.

---

**6. Accidental Release Measures**

---

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

---

**7. Handling and Storage**

---

<b>Precautions for safe handling</b>	Caution: Do not use this product as a traction aid, because product becomes slippery and slick when wet. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Do not get this material in your eyes, on your skin, or on your clothing. When using do not eat or drink.
<b>Conditions for safe storage, including any incompatibilities</b>	Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	PEL	0.05 mg/m <sup>3</sup>	Respirable dust.
Limestone (CAS 1317-65-3)	PEL	5 mg/m <sup>3</sup> 15 mg/m <sup>3</sup>	Respirable fraction. Total dust.

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.1 mg/m <sup>3</sup>	Respirable.
Limestone (CAS 1317-65-3)	TWA	2.4 mppcf 5 mg/m <sup>3</sup> 15 mg/m <sup>3</sup> 50 mppcf 15 mppcf	Respirable. Respirable fraction. Total dust. Total dust. Respirable fraction.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.025 mg/m <sup>3</sup>	Respirable fraction.
Sodium tetraborate pentahydrate (CAS 12179-04-3)	STEL	6 mg/m <sup>3</sup>	Inhalable fraction.
	TWA	2 mg/m <sup>3</sup>	Inhalable fraction.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.05 mg/m <sup>3</sup>	Respirable dust.
Limestone (CAS 1317-65-3)	TWA	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable. Total
Sodium tetraborate pentahydrate (CAS 12179-04-3)	TWA	1 mg/m <sup>3</sup>	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Not normally required if good ventilation is maintained.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses if eye contact is possible.

#### Skin protection

**Hand protection** Rubber gloves. Confirm with a reputable supplier first.

**Other** As required by employer code.

**Respiratory protection** Not normally required if good ventilation is maintained.

**Thermal hazards** Not applicable.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with the skin and the eyes. When using do not eat or drink.

## 9. Physical and Chemical Properties

<b>Appearance</b>	Granules
<b>Physical state</b>	Solid.
<b>Form</b>	Granules
<b>Color</b>	Granules with green and purple speckles
<b>Odor</b>	Scented
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.

<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.1 g/cm <sup>3</sup>
<b>Solubility(ies)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Acids. Chlorine. Fluorine.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

---

## 11. Toxicological Information

---

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	Not expected to be a primary skin irritant.
<b>Eye contact</b>	Direct contact with eyes may result in mechanical irritation.
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.

**Symptoms related to the physical, chemical and toxicological characteristics** Coughing.

### Information on toxicological effects

**Acute toxicity** Toxoplasmosis Warning: We would like to remind our customers, especially pregnant women and immunosuppressed persons, that cat feces can sometimes transmit a disease called toxoplasmosis. Therefore, always remember to wash hands thoroughly after handling used cat litter. For further information, consult your doctor.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Bentonite (CAS 1302-78-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	

Components	Species	Test Results
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Not available	
Crystalline silica (CAS 14808-60-7)		
<b>Acute</b> <i>Dermal</i> LD50	Not available	
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Not available	
Limestone (CAS 1317-65-3)		
<b>Acute</b> <i>Dermal</i> LD50	Not available	
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Rat	6450 mg/kg, RTECS
Sodium tetraborate pentahydrate (CAS 12179-04-3)		
<b>Acute</b> <i>Dermal</i> LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i> LC50	Rat	> 2 mg/L, 4 Hours, ECHA
<i>Oral</i> LD50	Rat	> 2000 mg/kg, ECHA
<b>Skin corrosion/irritation</b>	Not expected to be a primary skin irritant.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Germ cell mutagenicity</b>	Non-hazardous by OSHA criteria.	
<b>Carcinogenicity</b>	May cause cancer.	
<b>ACGIH Carcinogens</b>		
Crystalline silica (CAS 14808-60-7)	A2 Suspected human carcinogen.	
Sodium tetraborate pentahydrate (CAS 12179-04-3)	A4 Not classifiable as a human carcinogen.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Crystalline silica (CAS 14808-60-7)	Supplement 7, Volume 68, Volume 100C 1 Carcinogenic to humans.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b>		
Crystalline silica (CAS 14808-60-7)	Cancer	
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>		
Crystalline silica (CAS 14808-60-7)	Known To Be Human Carcinogen.	

<b>Reproductive toxicity</b>	May damage fertility or the unborn child.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged or repeated exposure may cause lung injury.
<b>Further information</b>	Not available.

---

## 12. Ecological Information

---

**Ecotoxicity** See below

**Ecotoxicological data**

Components	Species	Test Results
Bentonite (CAS 1302-78-9)		
<b>Aquatic</b>		
Fish	LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss)	19000 mg/L, 96 hours

Sodium tetraborate pentahydrate (CAS 12179-04-3)

**Aquatic**

Fish LC50 Western mosquitofish (Gambusia affinis) 104 mg/L, 96 hours

<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available.
<b>Mobility in general</b>	Not available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

## 13. Disposal Considerations

---

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. Transport Information

---

<b>General</b>	Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
<b>U.S. Department of Transportation (DOT)</b>	Not regulated as dangerous goods.
<b>Transportation of Dangerous Goods (TDG - Canada)</b>	Not regulated as dangerous goods.
<b>IATA/ICAO (Air)</b>	Not regulated as dangerous goods.
<b>IMDG (Marine Transport)</b>	Not regulated as dangerous goods.

---

## 15. Regulatory Information

---

<b>US federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	Product is compliant with CPSC regulatory guidelines.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Crystalline silica (CAS 14808-60-7)	Cancer lung effects immune system effects kidney effects
-------------------------------------	---

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No (Exempt)

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**US state regulations** See below

**US - Minnesota Haz Subs: Listed substance**

Crystalline silica (CAS 14808-60-7)	QUARTZ QUARTZ (SEE SILICA - CRYSTALLINE)
Limestone (CAS 1317-65-3)	CALCIUM CARBONATE LIMESTONE (SEE CALCIUM CARBONATE) MARBLE (SEE CALCIUM CARBONATE)
Sodium tetraborate pentahydrate (CAS 12179-04-3)	BORATES, TETRA, SODIUM SALTS PENTAHYDRATE

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

**US. Massachusetts RTK - Substance List**

Crystalline silica (CAS 14808-60-7)  
Limestone (CAS 1317-65-3)  
Sodium tetraborate pentahydrate (CAS 12179-04-3)

**US. New Jersey Worker and Community Right-to-Know Act**

Crystalline silica (CAS 14808-60-7)  
Limestone (CAS 1317-65-3)  
Sodium tetraborate pentahydrate (CAS 12179-04-3)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Crystalline silica (CAS 14808-60-7)  
Limestone (CAS 1317-65-3)  
Sodium tetraborate pentahydrate (CAS 12179-04-3)

**US. Rhode Island RTK**

Crystalline silica (CAS 14808-60-7)  
Limestone (CAS 1317-65-3)

**California Proposition 65**

This product is not subject to warning labeling under the California Proposition 65 regulation.


<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

## 16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	* 1
<b>FLAMMABILITY</b>	0
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X



### Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

### Issue date

20-January-2022

### Version #

01

### Further information

Not available.

### Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Reference Item: 238570.026

Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000