

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Clorox 2 ® Max Performance Stain Remover & Color Booster

Other means of identification Document Number: USA001616

Recommended useLaundry additive **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name The Clorox Company 1221 Broadway

Oakland, CA 94612 United States

Telephone1-510-271-7000E-mailNot available.

Emergency phone number Medical Emergency: 1-800-446-1014

Transportation Emergency: 1-800-424-9300 (Chemtrec)

2. Hazards Identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection and face protection. Wear protective gloves.

Response

If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical attention. Specific treatment (see information on this label).

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

Supplemental information

None known.

This SDS is designed for workplace employees, emergency personnel and for other conditions

and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government

regulations.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Hydrogen peroxide		7722-84-1	1 - 5
N,N-dimethyl-1-tetradecanamine, N-oxide		3332-27-2	1 - 5

#36134 Page: 1 of 7 Issue date 18-April-2023

4. First Aid Measures

Inhalation

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contact

If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.

Eye contact

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Ingestion

Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

attention.

Most important

symptoms/effects, acute and delayed

Indication

vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Symptoms may be delayed. Treat patient symptomatically.

General information

If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. KEEP OUT OF REACH OF CHILDREN AND PETS.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Treat for surrounding material.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards
Flammable properties

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted. Not a fire hazard.

Not flammable by OSHA criteria.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Do not taste or swallow. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

#36134 Page: 2 of 7 Issue date 18-April-2023

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type `	, Value	
Hydrogen peroxide (CAS 7722-84-1)	PEL	1.3999999999999999999999999999999999999	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.399999999999 99 mg/m3	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower. Provide adequate local exhaust ventilation to maintain worker

1 ppm

exposure below exposure limits. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical goggles.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Not applicable.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

General hygiene considerations

Flash point

Evaporation rate

Flammability (solid, gas)

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with the skin and

the eyes. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance Translucent Liquid Physical state Liquid. **Form** Liquid. Color Dark blue Odor Fruity, Floral **Odor threshold** Not available. 9 - 10 Ha Melting point/freezing point Not available. Initial boiling point and boiling Not available. range Other information Pour point Not available. Specific gravity Not available. Partition coefficient Not available. (n-octanol/water)

> Not available. Not available.

Not applicable.

#36134 Page: 3 of 7 Issue date 18-April-2023

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.

Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Soluble in water

Not available.

Not available.

Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and Reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity See below.

Components Species Test Results

Hydrogen peroxide (CAS 7722-84-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 170 mg/m3, 4 Hours, ECHA

Oral

LD50 Rat 1026 mg/kg, ECHA, male

693.7 mg/kg, ECHA, female

N,N-dimethyl-1-tetradecanamine, N-oxide (CAS 3332-27-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Not available

#36134 Page: 4 of 7 Issue date 18-April-2023

Components **Test Results Species**

Oral

LD50 Rat > 1500 mg/kg, ECHA

Causes skin irritation. Skin corrosion/irritation

Not available. **Exposure minutes** Erythema value Not available. Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Not available. Corneal opacity value Not available. Iris lesion value Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. **Recover days** Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity Non-hazardous by OSHA criteria.

Carcinogenicity Non-hazardous by OSHA criteria. See below.

ACGIH Carcinogens

Hydrogen peroxide (CAS 7722-84-1) A3 Confirmed animal carcinogen with unknown relevance to

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Arsenic (CAS 7440-38-2) Cadmium (CAS 7440-43-9) Cobalt (CAS 7440-48-4) Lead (CAS 7439-92-1)

Sulphuric acid (CAS 7664-93-9)

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen peroxide (CAS 7722-84-1) Volume 36, Supplement 7, Volume 71 - 3 Not classifiable as to

carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Non-hazardous by OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged or repeated exposure may cause lung injury.

Non-hazardous by OSHA criteria.

Further information Not available.

12. Ecological Information

See below **Ecotoxicity**

Ecotoxicological data

Components **Species Test Results**

Hydrogen peroxide (CAS 7722-84-1)

IC50 2.5 mg/L, 72 Hours Algae Algae

Crustacea EC50 Daphnia 7.7 mg/L, 48 Hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available. Not available. Mobility in general

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory Information

1000 LBS

US federal regulations

Product is compliant with CPSC regulatory guidelines.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Hydrogen peroxide (CAS 7722-84-1)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

No

hazardous substance

SARA 311/312 Hazardous Yes

chemical

Classified hazard Skin corrosion or irritation

categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

US state regulations See below

US - Illinois Chemical Safety Act: Listed substance

Hydrogen peroxide (CAS 7722-84-1)

US - Minnesota Haz Subs: Listed substance

Hydrogen peroxide (CAS 7722-84-1) Hydrogen peroxide

#36134 Page: 6 of 7 Issue date 18-April-2023

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. Massachusetts RTK - Substance List

Hydrogen peroxide (CAS 7722-84-1)

US. New Jersey Worker and Community Right-to-Know Act

Hydrogen peroxide (CAS 7722-84-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Hydrogen peroxide (CAS 7722-84-1)

US. Rhode Island RTK

Hydrogen peroxide (CAS 7722-84-1)

California Proposition 65

↑ w

WARNING: This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Cobalt (CAS 7440-48-4)

Listed: October 1, 1987

Listed: July 1, 1992

Lead (CAS 7439-92-1)

Sulphuric acid (CAS 7664-93-9)

Listed: March 14, 2003

California Proposition 65 - CRT: Listed date/Developmental toxin

 Cadmium (CAS 7440-43-9)
 Listed: May 1, 1997

 Lead (CAS 7439-92-1)
 Listed: February 27, 1987

 Sulfur dioxide (CAS 7446-09-5)
 Listed: July 29, 2011

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Lead (CAS 7439-92-1) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Cadmium (CAS 7440-43-9) Listed: May 1, 1997 Lead (CAS 7439-92-1) Listed: February 27, 1987

Country(s) or region Inventory name

On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer The information in the safety data sheet was written by Dell Tech Laboratories Ltd.

(www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 18-April-2023

Version # 01

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Reference Item: 274741-007-001

Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000

#36134 Page: 7 of 7 Issue date 18-April-2023