

# General Certificate of Conformity (GCC)

This Certification of Conformity complies with Section 102 of the Consumer Product Safety Improvement Act (CPSIA) of 2008.

|  |
|--|
| 1. <i>Identification of the product covered by this certificate:</i><br><b>All variants of</b> <ul style="list-style-type: none"><li>• <b>Liquid Plumb Clog Destroyer + PipeGuard</b></li></ul>  |
| 2. <i>Citation to each product safety regulation to which this product is being certified:</i><br><b>16 CFR Part 1700 POISON PREVENTION PACKAGING</b>  |
| 3. <i>Identification of the U.S. importer or domestic manufacturer certifying compliance of the product:</i><br><b>Clorox Manufacturing Company, 1221 Broadway, Oakland CA 94612, 510-271-7000</b>   |
| 4. <i>Contact information for the individual maintaining records of test results:</i><br><b>Clorox Services Company, c/o Global Stewardship, 4900 Johnson Drive, Pleasanton, CA 94588, AEChair@clorox.com, or call 1-800-571-4701.</b>   |
| 5. <i>Date and place where this product was manufactured:</i><br><b>1595 Oakley Industrial Blvd<br/>Fairburn, GA 30213</b><br><br><b>17 Lake Mirror Road<br/>Forest Park, GA 30297</b><br><br><b>2600 Huntington Drive<br/>Fairfield, CA 94533</b><br><b>Lot codes are stamped on the bottle. They take the form of LLYYJJ EE-E, where:</b><br><b>LL = Location of manufacturing (A8 = Fairfield, CA; C6 or 01 = French Lick, IN; A4 = Forest Park, GA; JS = Akron, OH)</b><br><b>YY = last two digits of the year (e.g., 24 = 2024)</b><br><b>JJJ = day of the year (Julian date) (e.g., day 300 – October 26)</b><br><b>see: <a href="http://www.cdffa.ca.gov/ahfss/mpes/pdfs/Julian_Calendar.pdf">www.cdffa.ca.gov/ahfss/mpes/pdfs/Julian_Calendar.pdf</a> a</b><br><b>EE-E = Establishment number (used for regulatory purposes)</b> |
| 6. <i>Date and place where this product was tested for compliance with the regulation(s) cited above:</i><br><b>Child Related Research (CRR), 448 E Winchester St #140, Salt Lake City, UT 84107, (801) 467-9440, or Perritt Laboratories (PL), 145 S Main St, Hightstown, NJ 08520, (609) 443-4848</b><br><b>Dates tested for each bottle size: 16oz (CRR Aug 2019), 17oz dual chamber (CRR Feb 2024), 32oz (PL Aug 2003), 42oz (PL Aug 2003), 80oz (PL Aug 2010), 128oz (PL Jun 2004)</b>  |
| 7. <i>Identification of any third-party laboratory on whose testing the certificate depends:</i><br><b>Child Related Research or Perritt Laboratories (see box #6)</b>   |
| 8. <i>Attestation.</i><br><b>Clorox certifies that the information presented is true and accurate and that the certified product complies with all rules, bans, standards or regulations application to the product under the CPSIA.</b>   |