

# SAFETY DATA SHEET

Issuing Date March 3, 2016	Revision Date New	Revision Number 0
1. IDENTIFICATION OF THE	SUBSTANCE/PREPARATION AND OF THE COMPAN	NY/UNDERTAKING
Product identifier		
Product Name	Kingsford® Professional Briquets	
Other means of identification		
Synonyms	None	
Recommended use of the chemica	and restrictions on use	
Recommended use	Fuel for cooking food outdoors	
Uses advised against	No information available	
Details of the supplier of the safety	y data sheet	
<b>Supplier Address</b> The Clorox Company 1221 Broadway Oakland, CA 94612		
Phone: 1-510-271-7000		
Emergency telephone number		
Emergency Phone Numbers	For Medical Emergencies, call: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800-424-9300	

Category 1B

# 2. HAZARDS IDENTIFICATION

# **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Toxic to reproduction

#### GHS Label elements, including precautionary statements

Emergency Overview					
Signal word		Danger			
Hazard Stater May damage f	<b>nents</b> ertility or the unborn chilc	I.			
Appearance	Square black briquet	Physical S	state Solid	Odor	None

# **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear eye protection such as safety glasses.

## Precautionary Statements - Response

If exposed or concerned: Get medical advice.

## Precautionary Statements - Storage

Store locked up.

## Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

## Hazards not otherwise classified (HNOC)

**CARBON MONOXIDE HAZARD.** Burning charcoal inside without adequate ventilation can kill you. It gives off carbon monoxide, which has no odor. NEVER burn charcoal inside homes, vehicles, or tents.

#### Unknown Toxicity

80 - 95% of the mixture consists of ingredients of unknown toxicity.

## Other information

Never barbeque indoors. Never use gasoline to light charcoal. Do not add lighter fluid directly to burning or hot charcoal. Barbecue away from flammable items, overhangs, and trees. Make sure ashes are cold before discarding.

## Interactions with Other Chemicals

Reacts with strong oxidizers to catch on fire.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
Charcoal	16291-96-6	80 - 95	*
Limestone	1317-65-3	< 7	*
Sodium tetraborate pentahydrate	12179-04-3	0.5 - 1.5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First	aid	measures

General Advice	Show this safety data sheet to the doctor in attendance.		
Eye Contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
Skin Contact	Wash skin with soap and water. If irritation persists, call a doctor.		
Inhalation	Move to fresh air. If breathing problems develop, call a doctor.		
Ingestion	Drink a glassful of water. Call a doctor or poison control center.		
Protection of First-aiders	Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).		

# Most important symptoms and effects, both acute and delayed

Most Important Symptoms and	Dust may cause eye irritation.	Inhalation of dust may irritate nose and throat.
Effects		

## Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media None known.

# Specific Hazards Arising from the Chemical None known.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment as required.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental Precautions	See Section 12 for ecological Information.		
Methods and material for containment and cleaning up			
Methods for Containment	Prevent further spillage if safe to do so.		
Methods for Cleaning Up	Remove heat and ignition sources. Vacuum sweep, if possible, to avoid generating airborne dust. Wash residual to on-site treatment area, where appropriate. If treatment area is not available, wash down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.		

# 7. HANDLING AND STORAGE

Precautions for safe handling			
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing.		
Conditions for safe storage, including any incompatibilities			
Storage	Store locked up in a dry area away from open flames, heat sources, and other ignition sources.		
Incompatible Products	Strong oxidizers.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Charcoal 16291-96-6	TWA - 0.4 mg/m <sup>3</sup> (dust, respirable fraction) <sup>a</sup> <sup>a</sup> based on TWA for anthracite coal dust	None	None
Limestone 1317-65-3	None	TWA - 15 mg/m <sup>3</sup> (total dust) TWA - 5 mg/m <sup>3</sup> (respirable fraction)	TWA - 15 mg/m <sup>3</sup> (total dust) TWA - 5 mg/m <sup>3</sup> (respirable dust)
Sodium tetraborate pentahydrate 12179-04-3	STEL - 6 mg/m <sup>3</sup> (inhalable fraction) <sup>b</sup> STEL - 2 mg/m <sup>3</sup> (inhalable fraction) <sup>b</sup> <sup>b</sup> Listed under borate compounds, inorganic	None	TWA - 1 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

# Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment		
Eye/Face Protection	Wear safety glasses.	
Skin and Body Protection	Wear rubber or neoprene gloves.	
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical State Appearance Color	Solid Square briquet Black	Odor Odor Threshold	None No information available
Property pH Melting/freezing point Boiling point / boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit Lower flammability limit Lower flammability limit Vapor pressure Vapor density Bulk density Water Solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties	Values   Not applicable   No data available   No data available   Not applicable   No data available   ~0.6 g/cm <sup>3</sup> Insoluble in water   No data available   No data	Remarks/ Method None known None known	
Other Information Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available No data available No data available		

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

Reacts with strong oxidizers to catch on fire.

## **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

<u>Conditions to avoid</u> Flames, heat sources, and ignition sources.

# Incompatible materials

Strong oxidizers.

# Hazardous Decomposition Products

None known.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

# **Product Information**

Inhalation	Inhalation may irritate respiratory tract.
Eye Contact	Dust may cause temporary eye irritation.
Skin Contact	Minor or no effects expected.
Ingestion	Minor or no effects expected.

## **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium tetraborate pentahydrate 12179-04-3	2.4 g/kg (Rat)	-	-

# Information on toxicological effects

Symptoms	May cause redness and tearing of the eyes. Inhalation of dust may irritate respiratory tract.
Delayed and immediate effects as v	vell as chronic effects from short and long-term exposure
Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredients listed as a carcinogen.
Reproductive Toxicity	Contains a known or suspected reproductive toxin (sodium tetraborate decahydrate).
Carcinogenicity	Contains no ingredients listed as a carcinogen.

STOT - single exposure	No information available.	
STOT - repeated exposure Chronic Toxicity Target Organ Effects	No information available. Contains a known or suspected reproductive toxin. Possible risk of irreversible effects. Respiratory system, reproductive system, eyes.	
Aspiration Hazard	Not an aspiration hazard.	

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document No information available.

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

# Persistence and Degradability

No information available.

# **Bioaccumulation**

No information available.

# Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

# Disposal methods

Reclaim, if possible; otherwise dispose of in accordance with all applicable federal, state, and local regulations.

# Contaminated Packaging

Dispose of in accordance with all applicable federal, state, and local regulations.

# **14. TRANSPORT INFORMATION**

DOT	Not restricted per 49 CFR 172.101(c)(12)(iv).			
<u>TDG</u>	Not restricted per TDG regulations Part 146(c)(iii).			
ICAO	Carbon, not activated.	Not restricted.	Passes self-heating carbon test.	
IATA	Carbon, not activated.	Not restricted.	Passes self-heating carbon test.	
IMDG/IMO	Carbon, not activated.	Not restricted.	Passes self-heating carbon test.	

# **15. REGULATORY INFORMATION**

# **Chemical Inventories**

TSCA	All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt
DSL/NDSL	from listing. All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## **Clean Water Act**

This product does not contain any substances that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# **US State Regulations**

## **California Proposition 65**

**California Proposition 65 Warning**: Combustion (burning) of this product, like other cooking methods, produces carbon monoxide and other substances known by the State of California to cause cancer, birth defects, or reproductive harm.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Limestone 1317-65-3		х	Х	Х	
Sodium tetraborate pentahydrate 12179-04-3		х			

# International Regulations

Canada WHMIS Hazard Class D2A - Very toxic material



16. OTHER INFORMATION						
<u>NFPA</u>	Health Hazard 0	Flammability 1	Instability 0	Physical and Chemical Hazards -		
HMIS	Health Hazard 0*	Flammability 1	Physical Hazard 0	Personal Protection A		
		.*Indicates a chronic health	hazard			
Prepared	Ву	Product Stewardship 23 British American Blvd Latham, NY 12110 1-800-572-6501	l.			
Revision I	Date	New				
Revision I	Note	New				
Reference	•	CLX0061/128702.002				

# General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet