



# SAFETY DATA SHEET

Issuing Date January 5, 2015

Revision Date New

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Pro-Strength Liquid-Plumr® Hair Clog Eliminator™ Clog Remover

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Drain cleaner/opener

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

The Clorox Company  
1221 Broadway  
Oakland, CA 94612

Phone: 1-510-271-7000

### Emergency telephone number

#### **Emergency Phone Numbers**

For Medical Emergencies, call: 1-800-446-1014  
For Transportation Emergencies, call Chemtrec: 1-800-424-9300

## 2. HAZARDS IDENTIFICATION


### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

### GHS Label elements, including precautionary statements

#### Emergency Overview

<b>Signal word</b>	<b>Danger</b>		
<b>Hazard Statements</b>	Causes severe skin burns and eye damage Causes serious eye damage		
			
<b>Appearance</b>	Opaque, pale yellow	<b>Physical State</b>	Viscous liquid
			<b>Odor</b> Bleach

### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.  
 Wear protective gloves, protective clothing, face protection, and eye protection such as safety glasses.

### Precautionary Statements - Response

Immediately call a poison center or doctor.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 Wash contaminated clothing before reuse.  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 Specific treatment (see supplemental first aid instructions on this label).  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Precautionary Statements - Storage

Store locked up.

### Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

### Hazards not otherwise classified (HNOC)

Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis, or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.

**Unknown Toxicity**

Not applicable.

**Other information**

Very toxic to aquatic life with long lasting effects.  
 Keep children away from basins containing this product.  
 Do not use with a plunger or in toilets.

**Interactions with Other Chemicals**

Reacts with other household chemicals such as ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers to produce hazardous gases, such as chlorine and other chlorinated compounds.

<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium hydroxide	1310-73-2	5 - 10	*
Sodium hypochlorite	7681-52-9	3 - 7	*
Myristamine oxide	3332-27-2	1 - 5	*
Lauramine oxide	1643-20-5	0.1 - 1	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

<b>4. FIRST AID MEASURES</b>
------------------------------

**First aid measures**

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Eye Contact</b>	Flush immediately with water for at least 15 minutes. If wearing contact lenses, remove after first 5 minutes. Call a doctor or poison control center immediately.
<b>Skin Contact</b>	Remove contaminated clothing. Wash immediately with water. Call a doctor or poison control center immediately.
<b>Inhalation</b>	Move to fresh air. If breathing is affected, call a doctor.
<b>Ingestion</b>	Drink a glassful of water. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Call a doctor or poison control center immediately.
<b>Protection of First-aiders</b>	Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Most Important Symptoms and Effects</b>	Burning of eyes and skin.
--	---------------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically. Use of gastric lavage or emesis is contraindicated.
---------------------------	--

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific Hazards Arising from the Chemical

This product causes burns to eyes, skin, and mucous membranes. Thermal decomposition can release sodium chlorate and irritating gases and vapors.

### Explosion Data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. For spills of multiple products, responders should evaluate the MSDSs of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed and/or poorly-ventilated areas until hazard assessment is complete.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

#### **Environmental Precautions**

See Section 12 for ecological information.

### Methods and material for containment and cleaning up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for Cleaning Up**

Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Do not eat, drink, or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

#### **Storage**

Keep containers tightly closed in a dry, cool, and well-ventilated place.

#### **Incompatible Products**

Ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Sodium hypochlorite 7681-52-9	None	None	None
Myristamine oxide 3332-27-2	None	None	None
Lauramine oxide 1643-20-5	None	None	None

*ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.*

**Appropriate engineering controls**

**Engineering Measures**                      Showers  
    Eyewash stations  
    Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**                      If splashes are likely to occur: Wear safety glasses with side shields (or goggles) or face shield.

**Skin and Body Protection**                      Wear rubber or neoprene gloves and protective clothing such as long-sleeved shirt.

**Respiratory Protection**                      If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures**                              Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods. Remove and wash contaminated clothing before re-use. Do not eat, drink, or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Viscous liquid	<b>Odor</b>	Bleach
<b>Appearance</b>	Opaque	<b>Odor Threshold</b>	No information available
<b>Color</b>	Pale yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
<b>pH</b>	~13	None known
<b>Melting/freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	No data available	None known
<b>Flash Point</b>	Not flammable	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
<b>Upper flammability limit</b>	No data available	None known
<b>Lower flammability limit</b>	No data available	None known
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Specific Gravity</b>	~1.1	None known
<b>Water Solubility</b>	Soluble in water	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	~4000 cP	None known
<b>Explosive Properties</b>	Not explosive	
<b>Oxidizing Properties</b>	No data available	

### Other Information

<b>Softening Point</b>	No data available
<b>VOC Content (%)</b>	No data available
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	No data available

## 10. STABILITY AND REACTIVITY

### Reactivity

Reacts with other household chemicals such as ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers to produce hazardous gases, such as chlorine and other chlorinated compounds.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

Ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Exposure to vapor or mist may irritate respiratory tract and cause coughing. Inhalation of high concentrations may cause pulmonary edema.
<b>Eye Contact</b>	Corrosive. May cause severe damage to eyes.
<b>Skin Contact</b>	May cause severe irritation to skin. Prolonged contact may cause burns to skin.
<b>Ingestion</b>	Ingestion may cause burns to gastrointestinal tract and respiratory tract, nausea, vomiting, and diarrhea.

#### Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hypochlorite 7681-52-9	8200 mg/kg (Rat)	>10000 mg/kg (Rabbit)	-
Sodium hydroxide 1310-73-2	-	1350 mg/kg (Rabbit)	-

### Information on toxicological effects

<b>Symptoms</b>	May cause redness and tearing of the eyes. May cause burns to eyes. May cause redness or burns to skin. Inhalation may cause coughing.
-----------------	--

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Sensitization</b>	No information available.
<b>Mutagenic Effects</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

*IARC (International Agency for Research on Cancer)  
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

<b>Reproductive Toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic Toxicity</b>	Carcinogenic potential is unknown.
<b>Target Organ Effects</b>	Respiratory system, eyes, skin, gastrointestinal tract (GI).
<b>Aspiration Hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

15 g/kg

**ATEmix (dermal)**

17 g/kg (ATE)

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

**Persistence and Degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available.

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Dispose of in accordance with all applicable federal, state, and local regulations.

**Contaminated Packaging**

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

**14. TRANSPORT INFORMATION****DOT**

LIMITED QUANTITY.

**TDG**

<b>UN-No</b>	UN1824
<b>Proper Shipping Name</b>	SODIUM HYDROXIDE SOLUTION
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Description</b>	UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

**ICAO**

<b>UN-No</b>	UN1824
<b>Proper Shipping Name</b>	SODIUM HYDROXIDE SOLUTION
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Description</b>	UN1824, SODIUM HYDROXIDE SOLUTION, 8, II, MARINE POLLUTANT

**IATA**

<b>UN-No</b>	UN1824
<b>Proper Shipping Name</b>	SODIUM HYDROXIDE SOLUTION
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Description</b>	UN1824, SODIUM HYDROXIDE SOLUTION, 8, II, MARINE POLLUTANT



**IMDG/IMO**

**UN-No** UN1824  
**Proper Shipping Name** SODIUM HYDROXIDE SOLUTION  
**Hazard Class** 8  
**Packing Group** II  
**EmS No.** F-A, S-B  
**Marine Pollutant** Product is a marine pollutant according to the criteria set by IMDG/IMO  
**Description** UN1824, SODIUM HYDROXIDE SOLUTION, 8, II, MARINE POLLUTANT

**15. REGULATORY INFORMATION**

**Chemical Inventories**

**TSCA** All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.  
**DSL/NDSL** All components are on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** No  
**Fire Hazard** No  
**Sudden Release of Pressure Hazard** No  
**Reactive Hazard** No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb			X
Sodium hydroxide 1310-73-2	1000 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	X	X	X	X	
Sodium hydroxide 1310-73-2	X	X	X	X	

**International Regulations****Canada****WHMIS Hazard Class**

E - Corrosive material

**16. OTHER INFORMATION**

**NFPA** Health Hazard 3 Flammability 0 Instability 0 Physical and Chemical Hazards -

**HMIS** Health Hazard 3 Flammability 0 Physical Hazard 0 Personal Protection B

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Revision Date** New

**Revision Note** New

**Reference** 1096812/182300.001

**General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**