

SAFETY DATA SHEET

Issuing Date 05-Jan-2015 Revision Date 21-Jun-2017 Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Aplicare® Antiseptic Gel Hand Rinse

Aplicare® Antiseptic Hand Sanitizer

Other means of identification

Product Code(s) 614

UN-No. UN1170

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Please refer to the product label

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier The Clorox Company

Supplier Address 1221 Broadway

Oakland CA 94612 US

Telephone 1-510-271-7000

Emergency telephone number

Emergency Telephone Number For Medical Emergencies call: 1-800-446-1014. Transportation Emergencies, call

Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable Liquids Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Danger

Highly flammable liquid and vapor

Appearance Green

Physical state Viscous liquid

Odor Herbaceous

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ ventilating/ lighting/ equipment Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Toxic to aquatic life
PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION
May cause slight eye irritation

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Percent	Trade Secret	
Ethanol	64-17-5	50-60	*	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

(trained personnel should) give oxygen.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, fog or alcohol-resistant foam, Use water spray or fog; do not use straight streams

Unsuitable extinguishing media

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code Flammable Liquid: I-B

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containmentA vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Control parameters</u> Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppmTWA: 1900	IDLH: 3300 ppm 10% LELTWA:
64-17-5	• •	mg/m³	1000 ppmTWA: 1900 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992)

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

None known

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Viscous liquid Appearance Green

AppearanceGreenOdorHerbaceousColorNo information availableOdor ThresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

7-8 None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** 16 C / 61 F None known **Evaporation Rate** No data available None known No data available Flammability (solid, gas) None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure

No data available
No data available

Vapor density No data available None known **Specific Gravity** .899-.909 None known Water Solubility Completely soluble None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known No data available Autoignition temperature None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available None known **Dynamic viscosity**

Explosive propertiesNo data available **Oxidizing properties**No data available

Other Information

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	_	_	124.7 mg/L (Rat) 4 h
64-17-5			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Component	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
64-17-5 (50-60)		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects Blood. Central nervous system (CNS). Eyes. Liver. Reproductive system. Respiratory

system. Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 11,986.00 mg/kg ATEmix (inhalation-dust/mist)

211.70 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms.

Chemical Name Toxicity to Algae		Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Ethanol		LC50: 12.0 - 16.0 mL/L (96 h	EC50 = 34634 mg/L 30	LC50: 9268 - 14221 mg/L
64-17-5		static) Oncorhynchus	minEC50 = 35470 mg/L 5	(48 h) Daphnia
		mykissLC50: 13400 - 15100	min	magnaEC50: 10800 mg/L
		mg/L (96 h flow-through)		(24 h) Daphnia
		Pimephales promelasLC50:		magnaEC50: 2 mg/L (48 h
		> 100 mg/L (96 h static)		Static) Daphnia magna
		Pimephales promelas		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Ethanol	-0.32
64-17-5	

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTIONS

Hazard Class 3 Packing Group II

Description UN1170, ETHANOL SOLUTIONS, 3, II

Emergency Response Guide 127

Number

<u>TDG</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group

Description UN1170, ETHANOL SOLUTION, 3, II

MEX

UN-No. UN1170

Proper Shipping Name ETHANOL IN SOLUTION

Hazard Class 3
Packing Group ||

Description UN1170, ETHANOL IN SOLUTION, 3, II

ICAO

UN-No. UN1170
Proper Shipping Name ETHANOL
Hazard Class 3

Hazard Class 3 Packing Group II

Description UN1170, ETHANOL, 3, II

<u>IATA</u>

UN-No. UN1170
Proper Shipping Name ETHANOL
Hazard Class 3

Packing Group | | ERG Code | 3L

Description UN1170, ETHANOL, 3, II

IMDG/IMO

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group ||

EmS-No. F-E, S-D

Description UN1170, ETHANOL SOLUTION, 3, II, (16°C C.C.)

RID

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class3Packing GroupIIClassification codeF1

Description UN1170, ETHANOL SOLUTION, 3, II

ADR/RID-Labels 3

<u>ADR</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
Classification code F1
Tunnel restriction code (D/E)

Description UN1170, ETHANOL SOLUTION, 3, II, (D/E)

ADN

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
Classification code F1
Special Provisions 144, 601

Description UN1170, ETHANOL SOLUTION, 3, II

Hazard Labels3Limited Quantity1 LVentilationVE01

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

IECSC

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Developmental

U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethanol	Χ	X	X		
64-17-5					
FD&C Blue No. 1		Х			
3844-45-9					

International Regulations

Mexico

National occupational exposure limits

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 3 Instability 0 Physical and

Chemical Hazards -

HMIS Health Hazards 1 Flammability 3 Physical Hazard 0 Personal Protection

Χ

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 05-Jan-2015

Issuing Date05-Jan-2015Revision Date21-Jun-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet